



Furniture

Computer CAD / Drafting Media Office



Solid Reasons to Buy

- Quality Materials
- Pride in Craftsmanship
- Dedication to Customer Satisfaction



PC Series Computer workstations.
Romeo H.S.



CF Series CAD Work Stations
Dakota H.S.



PC Series CAD/Drafting Work Stations
RETC Center

Services...

Layout and Design:

Send GMI your room drawing and we will utilize our 35 years of experience to assist you in getting the the most use out of your area.

Onsite Sales:

Our nationwide representatives will visit your site and assist you with your furniture selection. Please contact us for your local GMI dealer.

On Time Delivery:

GMI promises on time delivery with all orders. Stock items ship within 48 hours of order approval. All other items are acknowledged with scheduled ship dates to ensure your order arrives when you need it.

Factory Trained Installation:

Whether you're on the East Coast , West Coast or somewhere in between, GMI can provide you professional installation services. Contact our customer service department for a free estimate.



3985 Fletcher Rd. Chelsea, MI 48118
Ph: 800-396-4642 Fax: 734-428-7672
www.greenemfg.com

These credit cards accepted:



Sectional Index



PC



AC



GS



Dura-Tech



GMT



Sierra



CF



Accessories

PC Series Furniture



PC-600 Dual Drafting Station

The PC series is one of our most versatile furniture lines. Designed for use in CAD, computer, business, or office settings, it's sturdy construction will provide years of dependable service. The PC series features all welded base frame components, heavy gauge steel panels, supports, and quality laminate worksurfaces. Our integrated wire management system neatly conceals all cabling while allowing easy access for maintenance. The PC Series is available in many configurations to fit your work environment and task needs.



PC-800 Dual Computer Work Station

PC-200 CAD/Drafting Work Station



PC-200-54-ACE Shown

Sturdy all welded tubular frame - Lower rear modesty panel with full length wire management tray - (10) position adjustable drafting surface constructed from 1" laminate - Matching laminate leg panel inserts - Durable 3MM PVC edging - Pencil retaining tray - Floor leveler feet.

Base model includes:

- Adjustable drafting board
- Stationary reference area
- Wire management system

Model #	DFT Size	REF Size	Std. Height
PC-200-54	30"w x 30"d	24"w x 30"d	28"h
PC-200-60	30"w x 30"d	30"w x 30"d	28"h
PC-200-66	36"w x 30"d	30"w x 30"d	28"h
PC-200-72	42"w x 30"d	30"w x 30"d	28"h

PC-200 Station Accessories

Option #	Code	Option #	Code
CPU Cabinet	A	Keyboard Tray	E
CPU Cabinet w/Access	A1	Wrist Rest	F
CPU Rack	B	Mouse Platform	G
Monitor Arm	C	Borco Board Cover	H
Flat Panel Arm	C1	Parallel Rule	I
Riser Shelf	D	Sliding CPU Rack	K
		Lab Height (34"h)	L

See pages 32 - 35 for descriptions and additional accessories.

PC-3000-DFT Drafting Stations



Sturdy all welded tubular frame - Lower rear modesty panel - (10) position adjustable drafting surface - Pencil retaining tray - 1" thick laminated drafting board - 3MM PVC edging - Matching laminate leg panel inserts - Floor leveler feet.

Model #	Height Options	DFT Size	Std. Height
PC-DFT-102424	-28 -34	24"d x 24"w	28"h or 34"h
PC-DFT-102430	-28 -34	24"d x 30"w	28"h or 34"h
PC-DFT-103030	-28 -34	30"d x 30"w	28"h or 34"h
PC-DFT-103036	-28 -34	30"d x 36"w	28"h or 34"h
PC-DFT-103042	-28 -34	30"d x 42"w	28"h or 34"h
PC-DFT-103630	-28 -34	36"d x 30"w	28"h or 34"h
PC-DFT-103642	-28 -34	36"d x 42"w	28"h or 34"h

PC-2116 Drafting Station



Drafting work station features a 30"d x 42"w x 1" laminated (10) position drafting surface - 10"w x 18"d pull out reference area - (6) drawer storage base with individual cylinder locks keyed alike or keyed individually and master keyed - Welded tubular steel frame - Matching laminate leg panel inserts - Floor leveler feet.

Model #	Work Surface	Std. Height
PC-2116	30"d x 42"w	34"h

PC-400L-Combo Drafting Stations



Left Hand Station Shown

Modular "L" shaped work station features a large work area and a (10) position adjustable drafting surface - Recessed interior support legs allow unobstructed leg movement - Pencil retaining tray - Wire management tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Order Left or Right Hand Stations Standard Height is 28"h

Model #	Corner	Dft & Ref	Overall
Left or Right Hand			
PC-400L-72 -L -R	42"d x 42"w	30"d x 30"w	72"d x 72"w
PC-400L-78 -L -R	42"d x 42"w	30"d x 36"w	78"d x 78"w
PC-400L-84 -L -R	42"d x 42"w	30"d x 42"w	84"d x 84"w

PC-410L-Combo Drafting Stations



Left Hand Station Shown

Modular work station features a large corner work area and a (10) position adjustable drafting surface - Recessed interior support legs allows unobstructed leg movement - Pencil retaining tray - Wire management tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Order Left or Right Hand Stations Standard Height is 28"h

Model #	Corner	Drafting	Overall
Left or Right Hand			
PC-410L-72 -L -R	42"d x 42"w	30"d x 30"w	42"d x 72"w
PC-410L-78 -L -R	42"d x 42"w	30"d x 36"w	42"d x 78"w
PC-410L-84 -L -R	42"d x 42"w	30"d x 42"w	42"d x 84"w

PC-500L-Combo Drafting Stations



Left Hand Station Shown

Modular "L" shaped work station features a large work area and a (10) position adjustable drafting surface - Full height wire management compartment runs from floor to underside of worksurface - Sliding doors provide access to wire area - Pencil retaining tray - 1-1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Order Left or Right Hand Stations Standard Height is 28"h

Model #	Corner	Dft & Ref	Overall
Left or Right Hand			
PC-500L-72 -L -R	42"d x 42"w	30"d x 30"w	72"d x 72"w
PC-500L-78 -L -R	42"d x 42"w	30"d x 36"w	78"d x 78"w
PC-500L-84 -L -R	42"d x 42"w	30"d x 42"w	84"d x 84"w

PC-510L-Combo Drafting Stations




Left Hand Station Shown

Modular work station features a large corner work area and a (10) position adjustable drafting surface - Full height wire management compartment runs from floor to underside of worksurface - Sliding doors provide access to wire area - Pencil retaining tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Order Left or Right Hand Stations Standard Height is 28"h

Model #	Corner	Drafting	Overall
Left or Right Hand			
PC-510L-72 -L -R	42"d x 42"w	30"d x 30"w	42"d x 72"w
PC-510L-78 -L -R	42"d x 42"w	30"d x 36"w	42"d x 78"w
PC-510L-84 -L -R	42"d x 42"w	30"d x 42"w	42"d x 84"w

PC-700 Drafting/Combination Station



Work station features a work area and a (10) position adjustable drafting surface - Full height wire management compartment runs from floor to underside of worksurface - Sliding doors provide access to wire area - Pencil retaining tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Laminate back panel - CPU Rack - Keyboard Tray - Single pencil drawer (16"w x 18"d x 2.5"h) - Floor leveler feet.

Order Left or Right Hand Stations Standard Height is 28"h

Model #	Reference	Drafting	Overall
Left or Right Hand			
PC-700-66 -L	-R 30"d x 36"w	30"d x 30"w	30"d x 66"w
PC-700-78 -L	-R 30"d x 36"w	30"d x 42"w	30"d x 78"w

PC-600-Dual Drafting/Combination Station



Two person drafting station with (2) 10 position adjustable drafting surfaces - Center computer area accommodates up to (2) CAD stations - Pull out keyboard tray and CPU rack included - Wire management tray runs full length of work station - Pencil retaining tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Standard Height is 28"h

Model #	Reference	Drafting	Overall
PC-600-96	30"d x 36"w	30"d x 30"w	30"d x 96"w
PC-600D-96*	30"d x 36"w	30"d x 30"w	30"d x 96"w

*"D" Model - Includes (2) CPU racks and (2) Keyboard trays.
Keyboard trays located under each drafting area.

PC-800 Drop Down Computer Stations



Single Sided

Lowered center section increases monitor visibility in the classroom - Lowered section accommodates monitors up to 19" - Keyboarding and mouse area measures 15"D - Two CPU storage shelves - Center wire management section with sliding door access - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Model #	O.A. Size
---------	-----------

PC-800-84	30"d x 84"w
PC-800-96	30"d x 96"w

PC-810 Drop Down Computer Stations



Double Sided

Lowered center section increases monitor visibility in the classroom - Lowered section accommodates monitors up to 19" - Keyboarding and mouse area measures 15"D - Two CPU storage shelves per side - Center wire management section with sliding door access - 1 1/4" thick laminated work surfaces - "T" mold edging - Matching laminate leg panel inserts - Floor leveler feet.

Model #	O.A. Size
---------	-----------

PC-810-84	51"d x 84"w
PC-810-96	51"d x 96"w

See pages 32 - 35 for descriptions and additional accessories.

PC-3000-10 Straight Computer Stations



Bullnose Top Option

Straight Computer Stations - All welded tubular construction - Lower rear modesty panel - Full length wire management tray - 1 1/4" thick laminated work surfaces - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top - Matching laminate leg panel inserts - Features multiple station fastening plates - Floor leveler feet.

24" Deep Stations

Model #	Height Option		Edging Option		Work Surface	Std. Height
PC-10 - 2430	-28	-34	T	B	24"d x 30"w	28"h or 34"h
PC-10 - 2436	-28	-34	T	B	24"d x 36"w	28"h or 34"h
PC-10 - 2442	-28	-34	T	B	24"d x 42"w	28"h or 34"h
PC-10 - 2448	-28	-34	T	B	24"d x 48"w	28"h or 34"h
PC-10 - 2460	-28	-34	T	B	24"d x 60"w	28"h or 34"h
PC-10 - 2472	-28	-34	T	B	24"d x 72"w	28"h or 34"h

30" Deep Stations

Model #	Height Option		Edging Option		Work Surface	Std. Height
PC-10 - 3030	-28	-34	T	B	30"d x 30"w	28"h or 34"h
PC-10 - 3036	-28	-34	T	B	30"d x 36"w	28"h or 34"h
PC-10 - 3042	-28	-34	T	B	30"d x 42"w	28"h or 34"h
PC-10 - 3048	-28	-34	T	B	30"d x 48"w	28"h or 34"h
PC-10 - 3060	-28	-34	T	B	30"d x 60"w	28"h or 34"h
PC-10 - 3072	-28	-34	T	B	30"d x 72"w	28"h or 34"h

36" Deep Stations

Model #	Height Option		Edging Option		Work Surface	Std. Height
PC-10 - 3630	-28	-34	T	B	36"d x 30"w	28"h or 34"h
PC-10 - 3636	-28	-34	T	B	36"d x 36"w	28"h or 34"h
PC-10 - 3642	-28	-34	T	B	36"d x 42"w	28"h or 34"h
PC-10 - 3648	-28	-34	T	B	36"d x 48"w	28"h or 34"h
PC-10 - 3660	-28	-34	T	B	36"d x 60"w	28"h or 34"h
PC-10 - 3672	-28	-34	T	B	36"d x 72"w	28"h or 34"h

PC-10 Adjustable Height Computer Stations



Adjustable Height Straight Computer Stations - All welded tubular construction - Height adjustable from 24" to 30"h - Lower rear modesty panel - Full length wire management tray - 1 1/4" thick laminated work surfaces - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top - Features multiple station fastening plates - Floor leveler feet.

24" Deep Stations

Model #	Edging Option		Work Surface	Std. Height
PC-10 - 2430.ADJ	T	B	24"d x 30"w	24"h to 30"h
PC-10 - 2436.ADJ	T	B	24"d x 36"w	24"h to 30"h
PC-10 - 2442.ADJ	T	B	24"d x 42"w	24"h to 30"h
PC-10 - 2448.ADJ	T	B	24"d x 48"w	24"h to 30"h
PC-10 - 2460.ADJ	T	B	24"d x 60"w	24"h to 30"h
PC-10 - 2472.ADJ	T	B	24"d x 72"w	24"h to 30"h

30" Deep Stations

Model #	Edging Option		Work Surface	Std. Height
PC-10 - 3030.ADJ	T	B	30"d x 30"w	24"h to 30"h
PC-10 - 3036.ADJ	T	B	30"d x 36"w	24"h to 30"h
PC-10 - 3042.ADJ	T	B	30"d x 42"w	24"h to 30"h
PC-10 - 3048.ADJ	T	B	30"d x 48"w	24"h to 30"h
PC-10 - 3060.ADJ	T	B	30"d x 60"w	24"h to 30"h
PC-10 - 3072.ADJ	T	B	30"d x 72"w	24"h to 30"h

36" Deep Stations

Model #	Edging Option		Work Surface	Std. Height
PC-10 - 3630.ADJ	T	B	36"d x 30"w	24"h to 30"h
PC-10 - 3636.ADJ	T	B	36"d x 36"w	24"h to 30"h
PC-10 - 3642.ADJ	T	B	36"d x 42"w	24"h to 30"h
PC-10 - 3648.ADJ	T	B	36"d x 48"w	24"h to 30"h
PC-10 - 3660.ADJ	T	B	36"d x 60"w	24"h to 30"h
PC-10 - 3672.ADJ	T	B	36"d x 72"w	24"h to 30"h

PC-20 Corner Computer Stations




Corner Computer Stations - All welded tubular construction - Lower rear modesty panel - Full length wire management tray - 1 1/4" thick laminated work surfaces - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top - Matching laminate leg panel inserts - Features multiple station fastening plates - Floor leveler feet.

Model #	Height Option		Edging Option		Work Surface	Std. Height
PC-20 - 3636	-28	-34	T	B	36"d x 36"w	28"h or 34"h
PC-20 - 4242	-28	-34	T	B	42"d x 42"w	28"h or 34"h
PC-20 - 4848	-28	-34	T	B	48"d x 48"w	28"h or 34"h

PC-20 - 3636 Corner station fits 24" deep stations
 PC-20 - 4242 Corner station fits 30" deep stations
 PC-20 - 4848 Corner station fits 36" deep stations

PC-40 Filler Tops



Filler tops mount between work stations - Kit includes work surface and connection plates.

Model #	Edging Option		Work Surface	Fits
PC-40 - 2424 Straight	T	B	24"d x 24"w	24"d Table
PC-40 - 3024 Straight	T	B	30"d x 24"w	30"d Table
PC-40 - 3624 Straight	T	B	36"d x 24"w	36"d Table
PC-40C-24 Corner	T	B	24"d x 36"w	24"d Table
PC-40C-30 Corner	T	B	30"d x 42"w	30"d Table
PC-40C-36 Corner	T	B	36"d x 48"w	36"d Table

PC-CPU Leg Shelf Kits



PC-CPURL Leg Kit
End of Row Application



PC-CPUR Shelf Kit
Between Station Application

CPU Leg shelf kits provide CPU storage and protection between work stations or at the end of a row of stations - CPUR kits include a shelf and CPU cable guard - CPURL Kits include shelf, CPU cable guard, single leg support, and 11"w laminate worksurface. Please specify laminate and base color when ordering.

Model #	Leg Height		Edging Option		Includes
PC-CPUR					Shelf and Cable Guard
PC-CPURL - 28	-34	T	B		Shelf, Cable Guard, Leg, Laminate Top

PC-10-LS Lower Shelf



Lower shelf adds storage to your straight work stations - Sturdy steel shelf will support heavy loads - All shelves are 12" deep.

Model #	Fits
PC-LS-30	30" Wide Station
PC-LS-36	36" Wide Station
PC-LS-42	42" Wide Station
PC-LS-48	48" Wide Station
PC-LS-60	60" Wide Station
PC-LS-72	72" Wide Station

See pages 32 - 35 for descriptions and additional accessories.

PC-200L Corner Work Station



Modular "L" shaped work station features large work area - 30" nominal depth work surface - All steel base construction - Wire management tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Large hole grommet access through work surface to wire management tray - Matching laminate leg panel inserts - 14"h low profile upper laminate divider panels - Floor leveler feet.

Standard Height is 28"h

Model #	Corner	Wing	Overall
PC-200L-72	42"d x 42"w	30"d x 30"w	72"d x 72"w
PC-200L-78	42"d x 42"w	30"d x 36"w	78"d x 78"w
PC-200L-84	42"d x 42"w	30"d x 42"w	84"d x 84"w

PC-T100 - Inline Work Station



Work station features - 30" nominal depth work surface - All steel base construction - Wire management tray - 1 1/4" thick laminated work surfaces - "T" mold edging - Large hole grommet access through work surface to wire management tray - Matching laminate leg panel inserts - 14"h low profile upper laminate divider panels - Floor leveler feet.

Standard Height is 28"h

Model #	Overall
PC-T100-72	30"d x 72"w x 40"h
PC-T100-78	30"d x 78"w x 40"h
PC-T100-84	30"d x 84"w x 40"h

PC Hanging Storage Cabinets



PC-5030



PC-5130



PC-5230



PC-5330

Storage cabinets mount under work surface - Constructed of 18 gauge steel - Ball bearing drawer glides rated at 75 lbs - recessed handles - Cylinder style locks keyed alike.

Model #	Description	Size
PC-5030	Single Door	16"w x 16"h x 20"d
PC-5130	Four Drawer	16"w x 16"h x 20"d
PC-5230	Three Drawer	16"w x 16"h x 20"d
PC-5330	Two Drawer	16"w x 16"h x 20"d

Work Surface Riser Shelf



Riser shelf provides additional storage on the work surface - Lower section under shelf accommodates keyboard and mouse storage - Shelf constructed from 3/4" laminate - Available in limited colors

Model #	Description
PC-SLF 2	Computer Riser Shelf

Assistance Call Light



Call light unit measures 5" x 5" x 18"H - 110V - Lighted on/off switch - 6' cord and plug - Mounts to work surface

Model #	Description
PC-CL	Call Light Tower

Table Extensions



Half Round Table Extension - Measures 60"w x 30"d - 1 1/4" thick laminated work surface - "T" mold edging - 2" diameter round leg supports - Connector plates - Floor leveler feet.

Model #	Description	Size
PC-60E	1/2 Round Table Extension	60"w x 36"d x 28"h
PC-60E4	1/2 Round Table Extension	60"w x 36"d x 34"h

Table Extensions



Quarter Round Table Extension - Measures 30"w x 30"d - 1 1/4" thick laminated work surface - "T" mold edging - 2" diameter round leg support - Connector plates - Floor leveler feet.

Model #	Description	Size
PC-30E	1/4 Round Table Extension	30"w x 30"d x 28"h
PC-30E4	1/4 Round Table Extension	30"w x 30"d x 34"h

See pages 32 - 35 for descriptions and additional accessories.

Rear Shelf Riser



Rear Shelf Riser - Constructed from 3/4" laminate - Shelf measures 12"d x 15"h - Mounting brackets and hardware.

See laminate color selections on page 36.

Model #	Description	Size
PC-RSHF - 48	Rear Shelf for 48" Table	48"w x 12"d x 15"h
PC-RSHF - 60	Rear Shelf for 60" Table	60"w x 12"d x 15"h

Rear Hutch



Rear Hutch - Constructed from 3/4" laminate - Unit measure 12"d x 47"w x 36"h - Closed hutch storage measures 11"d - Two storage compartments - Open shelf units features 11"d upper storage shelf - Mounting brackets and hardware

See laminate color selections on page 36.

Model #	Description	Size
PC-RHTC - 47	Rear Hutch w/Doors	47"w x 12"d x 36"h
PC-RHTCS-47	Rear Hutch w/Open Shelf	47"w x 12"d x 36"h

AC Series Furniture



AC-3072-2 Computer Station

Our AC line combines form and function into versatile work stations. These work stations are available with a single level work surface or a split level work surface for ergonomic placement of your keyboard. Optional keyboard pockets allow the lower work surface to be cleared for text books and writing. All AC stations feature an integrated wire management system that conceals and protects cables. Sturdy all welded base frame construction and solid 1-1/4" laminate tops with durable 3mm PVC edging creates a work station built to last.



AC-INS Instructor Station

AC- Single Level Work Stations



Bullnose Top Option

Single level stations provide a sturdy work surface for computing applications - All welded tubular steel frame - Lower modesty panel with integrated wire management tray - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top - Station to station connector brackets - Floor leveler feet.

Model #	Edging Option		Size	Std. Height
AC-3036-1	T	B	30"d x 36"w	28"h
AC-3042-1	T	B	30"d x 42"w	28"h
AC-3048-1	T	B	30"d x 48"w	28"h
AC-3060-1	T	B	30"d x 60"w	28"h
AC-3072-1	T	B	30"d x 72"w	28"h

AC - Trapezoidal Work Stations



Trapezoid work stations can be used to form a variety of work center configurations - All welded tubular steel frame - Lower modesty panel with integrated wire management tray - Floor leveler feet.

Available in single or Bi-Level configuration

Bi-Level Work Surface Depth
Lower surface is 12"d
Upper surface is 18"d

Model #	Description	Size	Std. Height
AC-3060-TRP-1	Single Level	30"d x 60"w	28"h
AC-3060-TRP-2	Bi-Level	30"d x 60"w	28"h

AC- Bi-Level Work Stations



Bi-level stations provide a lowered platform for keyboarding and mouse applications - Optional keyboard pocket can be added for storage of the keyboard and mouse when not in use - All welded tubular steel frame - Lower modesty panel with integrated wire management tray - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top station to station connector brackets - Floor leveler feet.

Lower surface is 12"d

Upper surface is 18"d

Model #	Edging Option		Size	Std. Height
AC-3036-2	T	B	30"d x 36"w	28"h
AC-3042-2	T	B	30"d x 42"w	28"h
AC-3048-2	T	B	30"d x 48"w	28"h
AC-3060-2	T	B	30"d x 60"w	28"h
AC-3072-2	T	B	30"d x 72"w	28"h

Typical Trapezoidal Layouts



Use two Trap Stations to turn 90 degree corner.

Use four Trap Stations to form 180 degree "U" shape.

See pages 32 - 35 for descriptions and additional accessories.

AC-Work Centers



AC work centers are ideal for space saving layouts - Each station provides work room for (3) computers - Place two stations back to back to form an island work center - Optional adjustable height riser shelf provides additional space for peripheral equipment - All welded tubular steel frame - Lower modesty panel - Floor leveler feet.

Model #	Description	Size	Std. Height
AC-200-T1	Single Level	34"d x 80"w	28"h
AC-300-T1	Single Level	42"d x 96"w	28"h
AC-200-RS	Riser Shelf	18"d x 56"w	16" - 25"h
AC-300-RS	Riser Shelf	23"d x 78"w	16" - 25"h



Single Island Station w/Riser Shelf



Two Stations Back to Back w/Riser Shelf

AC-Printer Cart



Portable printer tables - All welded tubular steel frame - Lower modesty panel with integrated wire management tray - Choose from standard "T" mold edging or optional 180 degree bullnose front edge with 3MM PVC side edging - Large hole grommet wire access through top - 4" dual wheeled locking casters.

Model #	Edging Option		Size	Std. Height
AC-2436-P	T	B	24"d x 36"w	28"h
AC-3036-P	T	B	30"d x 36"w	28"h
AC-3042-P	T	B	30"d x 42"w	28"h

AC-INS Instructor Station



Rear View of Station

Overall size 66" x 66" x 30" nominal depth - 28" work surface height - lower rear modesty panels with wire management tray - 3-1/4" diameter hole grommets - All welded steel base construction - 1-1/4" laminate tops with 3mm PVC edging - Floor levelers.

Model #	Description	Size	Std. Height
AC-INS	Single Level	66"d x 66"w	28"h

AC- Keyboard Pocket



Keyboard Pocket mounts to Bi-Level work station - Provides keyboard storage - Measures 22"w x 10"d x 2"h

Model #	Includes
AC-KBP	One pocket with Mounting Hardware

AC-CPU Leg Kits



Leg shelf kits provide CPU storage and protection between work stations or at the end of a row of stations - AC-CPU kit includes a leg mounted CPU rack with Velcro strap - AC-CPUR kit includes a shelf and CPU cable guard - AC-CPURL kit includes shelf, CPU cable guard, single leg support, and 11"w laminate worksurface. Please specify laminate and base color when ordering.

Model #	Includes
AC-CPU	Leg mounted CPU Rack w/Velcro Strap
AC-CPUR	Shelf and Cable Guard
AC-CPURL	Shelf, Cable Guard, Leg, Laminate Top

See pages 32 - 35 for descriptions and additional accessories.

AC- Filler Stations



Single Level Straight Filler



Bi-Level Straight Filler



Single Level Corner Filler



Bi-Level Corner Filler

Filler kits are designed to fit between two workstations to provide additional work space - Kit includes work surface and required hardware.

Model #	Edging Option		Work Surface Type	Size
AC-24ST	T	B	Straight Single Level	30"d x 24"w
AC-30ST	T	B	Straight Single Level	30"d x 30"w
AC-36ST	T	B	Straight Single Level	30"d x 36"w
ACB-24ST	T	B	Straight Bi-level	30"d x 24"w
ACB-30ST	T	B	Straight Bi-level	30"d x 30"w
ACB-36ST	T	B	Straight Bi-level	30"d x 36"w
AC-30C-1	T	B	Single Level Corner	30"d x 42"w
AC-30C-2	T	B	Bi-Level Corner	30"d x 42"w

GS Series Furniture



GSD-28.C Drafting Table

The GS series traditional style furniture is loaded with features. Sturdy all welded base frame construction and solid 1" laminate tops. All work surfaces are edge finished with a durable 3mm PVC edging. Optional drawer units have 75 lb. ball bearing glides with recessed drawer pulls.

These work stations are ideal for use in drafting and art applications.



GS-3748.RBD Drafting Table

GS-Series Drafting Tables



Base GS- Series Work Station



GS-Work Station w/Reference Area (.R)



GS-Work Station with Six Drawer (.D)



GS-Work Station with Board Storage (.B)



GS-2436.RBD Six Drawer and Board Storage Work Station

Traditional style drafting stations are available in several configurations and sizes to fit a variety of applications - All base units feature adjustable height legs - 10 position drafting surface - Laminate surfaces are 1" thick with 3mm PVC edging - 1-1/2" tubular steel all welded frames - Units are available with optional reference area, board storage cabinets, and six drawer storage cabinets.

Reference Area Size: 12"w x Station Depth

Sample Part Number:

GS-3036.RD - Base table with reference area (R) and six drawer cabinet (D).

Model #	Reference Area	Board Storage	6 Drawer Cabinet	Overall Size	Height
GS-2436	R	B	D	24"d x 36"w	27" to 34"
GS-3036	R	B	D	30"d x 36"w	27" to 34"
GS-3042	R	B	D	30"d x 42"w	27" to 34"
GS-3748	R	B	D	37"d x 48"w	27" to 34"

GSD-Two Station Drafting Table



GSD-two student work station features an eight or ten drawer cabinet - Each drawer will hold 21" x 25" drawings - Constructed of 16 and 18 gauge steel, the cabinet features all welded construction and ball bearing drawer glides - Drawers are available with cylinder style locks keyed alike, individually keyed with master key, or with padlock hasps - (2) 30" x 30" x 1" thick drafting boards are fixed at a 7 degree angle - Pencil retaining edge - Lower foot rest - Floor levelers.

KA - Keyed Alike

KDMK - Keyed Different Master Keyed

Model #	# Drawers	Lock Type	Height
GSD-28.C	8 drawer	Cylinder Locks KA	28"h
GSD-28.CD	8 drawer	Cylinder Locks KDMK	28"h
GSD-28.P	8 drawer	Padlock Hasp	28"h
GSD-34.C	10 drawer	Cylinder Locks KA	34"h
GSD-34.CD	10 drawer	Cylinder Locks KDMK	34"h
GSD-34.P	10 drawer	Padlock Hasp	34"h

GSD-Single Station Drafting Table



GSD single work station features an eight or ten drawer cabinet - Each drawer will hold 21" x 25" drawings - Constructed of 16 and 18 gauge steel, the cabinet features all welded construction and ball bearing drawer glides - Drawers are available with cylinder style locks keyed alike, individually keyed with master key, or with padlock hasps - (1) 30" x 30" x 1" thick drafting boards are fixed at a 7 degree angle - Pencil retaining edge - Lower foot rest - Floor levelers.

KA - Keyed Alike

KDMK - Keyed Different Master Keyed

Model #	# Drawers	Lock Type	Height
GSD-18.C	8 drawer	Cylinder Locks KA	28"h
GSD-18.CD	8 drawer	Cylinder Locks KDMK	28"h
GSD-18.P	8 drawer	Padlock Hasp	28"h
GSD-14.C	10 drawer	Cylinder Locks KA	34"h
GSD-14.CD	10 drawer	Cylinder Locks KDMK	34"h
GSD-14.P	10 drawer	Padlock Hasp	34"h

Dura-Tech CAD/Drafting Work Stations



DTF-3036-K1 Drafting Station
Shown with optional back panel and foot rest.

Dura-Tech drafting stations incorporate heavy duty construction into a functional CAD/drafting work station. Our selection of storage base configurations and work surface sizes allow many layout options for your specific environment. Integrated wire management keeps all excess cabling neatly stored while allowing access for maintenance



DTD-3096.FC Dual Drafting Station

Dura-Tech Single Drafting Stations



Shown with optional CPU rack and monitor arm

Single station Dura-Tech drafting station features 16 and 18 gauge all welded base components - Rear modesty panel with integrated wire management tray - Drafting area available as either a 10 position adjustable or fixed 7 degree surface - (1) Keyboard tray included - 1-1/4" thick laminated work surface - 1" thick laminate drafting work surface - All tops edged in 3mm PVC - Floor leveler feet.

Fixed Board Stations Include Keyboard Slide Out

Available in Left or Right Hand Configurations

Model #	Reference	Drafting	Overall
DTF-3030.F	30"d x 30"w	30"d x 30"w Fixed	30"d x 60"w
DTF-3036.F	30"d x 30"w	30"d x 36"w Fixed	30"d x 66"w
DTF-3042.F	30"d x 30"w	30"d x 42"w Fixed	30"d x 72"w
DTF-3030.A	30"d x 30"w	30"d x 30"w Adj.	30"d x 60"w
DTF-3036.A	30"d x 30"w	30"d x 36"w Adj.	30"d x 66"w
DTF-3042.A	30"d x 30"w	30"d x 42"w Adj.	30"d x 72"w

Cabinet Codes

Single Door	J	Four Drawer	D
Single Door w/Cut Out	J1	Three Drawer	L
(1) Drawer/CPU w/Cut Out	K1	Six Drawer	C



Dura-Tech Dual Drafting Stations



Shown with optional CPU racks and monitor arms.

Dual station Dura-Tech drafting station features 16 and 18 gauge all welded base components - Center cabinet features (2) CPU racks - Rear modesty panel with integrated wire management tray - Drafting areas are available as either a (10) position adjustable or fixed 7 degree surface - 1-1/4" thick laminated work surface - 1" thick laminate drafting work surface - All tops edged in 3mm PVC - Floor leveler feet.

Fixed Board Stations Include Keyboard Slide Out

Model #	Reference	Drafting	Overall
DTD-3096.F	30"d x 36"w	30"d x 30"w Fixed	30"d x 96"w
DTD-3096.A	30"d x 36"w	30"d x 30"w Adj.	30"d x 96"w

Dura-Tech Drafting Accessories



Reference area back panel - 6"H
- Attaches to rear of work surface.

Model #	Size
DTRA-30	6"H x 30"W





Foot Rest - Heavy gauge steel -
Mounts between cabinets and leg pedestal.

Model #	Size
DTFR-30	4"W x 30"L
DTFR-36	4"W x 36"L
DTFR-42	4"W x 42"L



See pages 32 - 35 for descriptions and additional accessories.

GMT-Series Work Stations



GMT-100-84 shown with options

GMT Series work stations are designed for use in CAD/Drafting and Technology Lab applications. Constructed from heavy duty metal base components, GMT-Series stations will withstand rugged use in your lab. An under counter work surface support allows free leg movement throughout the work station while providing maximum support for the work surface. Integrated wire management system provides storage for cabling. Available with many base configurations to accommodate your storage requirements.



GMTS-84 shown with options

GMT-DFT Drafting Work Station



GMT-100.DFT-84RD Shown with Optional (D) Four Drawer Base Cabinet and Call Light

GMT-DFT "L" shaped work station features 16 and 18 gauge all welded base components - Rear modesty panel with integrated wire management tray - Drafting area features a (10) position adjustable surface - Choose from a 6' or 7' overall size - 1-1/4" thick laminated work surfaces - All tops feature Armour Edge - Optional base storage cabinets mount opposite from drafting area - Floor leveler feet.

Order Left or Right Hand Stations Work Surface Height 29 1/4"

Model #	Corner	Dft & Ref	Overall
Left or Right Hand			
GMT-100.DFT-72	L R	42"d x 42"w 30"d x 30"w	72"w x 72"d
GMT-100.DFT-84	L R	42"d x 42"w 30"d x 42"w	84"w x 84"d

Sample Part Number: GMT-100.DFT-72R D

Right Hand DFT
Cabinet Option Code

GMT-Base Options



Base Code	Description	Size
J	Single Door	16"w x 24"d x 28"h
D	Four Drawer	16"w x 24"d x 28"h
E	Three Drawer	16"w x 24"d x 28"h
F	Two Drawer	16"w x 24"d x 28"h
C	Six Drawer	16"w x 24"d x 28"h
G	(2)Box (1) File	16"w x 24"d x 28"h
A	Leg Pedestal	3 1/2"w x 24"d x 28"h

GMT - Work Station



GMT-100.-84D Shown with Optional (D) Four Drawer Base Cabinet and Call Light

GMT - "L" shaped work station features 16 and 18 gauge all welded base components - Rear modesty panel with integrated wire management tray - Choose from a 6' or 7' overall size - 1-1/4" thick laminated work surface - All tops feature Armour Edge - Optional base storage cabinets replace leg pedestals - Low profile upper modesty panels measure 14"h - Floor leveler feet.

Work Surface Height is 29 1/4"

Model #	Cabinet	Corner	Wing	Overall
GMT-100-72		42"d x 42"w	30"d x 30"w	72"d x 72"w
GMT-100-84		42"d x 42"w	30"d x 42"w	84"d x 84"w

GMTS Inline Work Station



GMTS-84 Shown with Optional (D) Four Drawer Base Cabinet and Call Light

GMTS - inline work station features 16 and 18 gauge all welded base components - Rear modesty panel with integrated wire management tray - Choose from various length stations - 1-1/4" thick laminated work surface - All tops feature Armour Edge - Optional base storage cabinets replace leg pedestals - Low profile upper privacy panels measure 12"h - Floor leveler feet.

Work Surface Height is 29 1/4"

Model #	Cabinet	Size	Overall Height
GMTS-60		30"d x 60"w	40"h
GMTS-72		30"d x 72"w	40"h
GMTS-84		30"d x 84"w	40"h
GMTS-96		30"d x 96"w	40"h

Sample Part Number: GMTS-100.72 D

Station Length
Left Hand Base
Right Hand Base

Portable GMT Series Base Cabinets



Utilize portable storage cabinets with your GMT-Series stations - Cabinets measure 16"W x 24"d x 26.5"h - Constructed of 16 and 18 gauge steel - All welded construction - Aluminum recessed handles - Cylinder style locks keyed alike - 2" dual wheel swivel casters.

Model #	Description	Size
DT-1624.0000P	Single Door	16"w x 24"d x 26.5"h
DT-1624.0400P	Four Drawer	16"w x 24"d x 26.5"h
DT-1624.0030P	Three Drawer	16"w x 24"d x 26.5"h
DT-1624.0002P	Two Drawer	16"w x 24"d x 26.5"h
DT-1624.6000P	Six Drawer	16"w x 24"d x 26.5"h
DT-1624.0201P	(2)Box (1) File	16"w x 24"d x 26.5"h


Laminate Top for GMT Portable Cabinets



3/4" thick laminate top with 3mm PVC edging - Top measures 18"w x 26"d - Finish height of cabinet with top is 27 1/4" h - Specify laminate color when ordering.

Model #	Description
GMT-PLAM	Laminate Top

GMT and GMTS Call Light Option



Call light unit measures 18"H - Low voltage - On/off switch - cord and plug - Mounts to work surface

Model #	Description
PC-CL	Call Light Tower

Portable Work Tables



Portable work tables are available in two standard sizes - 30" nominal depth - 28" standard height - Leg pedestal base with rear modesty panel - 4" dual wheel swivel casters.

Model #	Description	Size
GMT-3060P	Portable WorkTable	30"d x 60"w
GMT-3072P	Portable WorkTable	30"d x 72"w


GMTS Riser Shelf



Riser shelf for inline GMTS Stations - Measures 12"w x 24"d x 6"h - 1 1/4" laminate shelf - Tubular steel uprights with rubber bottoms - Specify laminate color when ordering

Model #	Description	Size
GMTS-24SHF	Riser Shelf	12"d x 24"w

GMT-Half Round Table Extension



Half Round Table Extension - Measures 60"w x 30"d - 1 1/4" thick laminated work surface - "T" mold edging - 2" diameter round leg supports - Connector plates - Floor leveler feet.

Standard Height is 28"h

Model #	Description	Size
GMT- 60E	1/2 Round Table Extension	60"w x 30"d


GMT Riser Shelf



"L" Shaped Riser shelf for GMT Stations - Measures 12"w x 32"d x 6"h - 1 1/4" laminate shelf - Tubular steel uprights with rubber bottoms - Specify laminate color when ordering

Model #	Description	Size
GMT-32SHF	Riser Shelf	12"d x 32"w

GMT-Quarter Round Table Extension




Quarter Round Table Extension - Measures 30"w x 30"d - 1 1/4" thick laminated work surface - "T" mold edging - 2" diameter round leg support - Connector plates - Floor leveler feet.

Standard Height is 28"h

Model #	Description	Size
GMT- 30E	1/4 Round Table Extension	30"w x 30"d

See pages 32 - 35 for descriptions and additional accessories.

CF-Series Computer Stations



CF - Starter and Add-on Work Station

The CF Series work stations are designed to provide years of maintenance free service. The base is constructed of 1" laminated panels. The work surfaces are 1 1/4" laminate with a balanced backer sheet trimmed with durable armour edging. Large hole grommet access to integrated wire management tray. Tubular steel lower support leg with floor levelers.


Available with a high back carroll sides for use where student privacy is required.

Quick connect fasteners allow fast assembly and easy configuration changes to your room. Units are sold as "starter" and "add-on" assemblies to maximize space.



CF - Corner with Two Add-on Straight Stations

CF- Computer Work Stations



Straight Computer Stations - 1" laminated panel base - Tubular steel support foot - Integrated wire management tray - 1 1/4" laminated work surface - Units sold as "starter" and "add-on" assemblies.


Standard Height is 28" to Worksurface

30" Deep Stations

Model #	Description	Size
CF-3030.S	Starter	30"d x 30"w
CF-3030.A	Add-on	30"d x 30"w
CF-3036.S	Starter	30"d x 36"w
CF-3036.A	Add-on	30"d x 36"w
CF-3042.S	Starter	30"d x 42"w
CF-3042.A	Add-on	30"d x 42"w
CF-3048.S	Starter	30"d x 48"w
CF-3048.A	Add-on	30"d x 48"w
CF-3060.S	Starter	30"d x 60"w
CF-3060.A	Add-on	30"d x 60"w

36" Deep Stations

Model #	Description	Size
CF-3630.S	Starter	36"d x 30"w
CF-3630.A	Add-on	36"d x 30"w
CF-3636.S	Starter	36"d x 36"w
CF-3636.A	Add-on	36"d x 36"w
CF-3642.S	Starter	36"d x 42"w
CF-3642.A	Add-on	36"d x 42"w
CF-3648.S	Starter	36"d x 48"w
CF-3648.A	Add-on	36"d x 48"w
CF-3660.S	Starter	36"d x 60"w
CF-3660.A	Add-on	36"d x 60"w



Starter



Add-On

CF- Corner Computer Work Stations




Corner Computer Stations - 1" laminated panel base - Tubular steel support foot - Integrated wire management tray - 1 1/4" laminated work surface - Corners are available as starters only.

Standard Height is 28" to Worksurface

Model #	Description	Size
CF-4242.C	Corner	42"d x 42"w
CF-4848.C	Corner	48"d x 48"w

CF- Carrol Top Work Stations



Carroll Top Station - 1" laminated panel base - Tubular steel support foot - Integrated wire management tray - 1 1/4" laminated work surface - Side panels extend 14" above work surface for student privacy.

Standard Height is 28" to Worksurface

30" Deep Stations

Model #	Description	Size
CFT-3030.S	Starter	30"d x 30"w
CFT-3030.A	Add-on	30"d x 30"w
CFT-3036.S	Starter	30"d x 36"w
CFT-3036.A	Add-on	30"d x 36"w
CFT-3042.S	Starter	30"d x 42"w
CFT-3042.A	Add-on	30"d x 42"w
CFT-3048.S	Starter	30"d x 48"w
CFT-3048.A	Add-on	30"d x 48"w
CFT-3060.S	Starter	30"d x 60"w
CFT-3060.A	Add-on	30"d x 60"w

Sierra Media and Office Furniture



Instructor Stations



Conference Tables

Our Sierra line of Media, Conference, and Office furniture is a combination of unique products designed to provide a functional work environment.

Sierra products feature solid wood core laminate tops with several edge finishes to choose from. All welded base construction and quality hardware make the Sierra stations built to last.



Media Carts

Portable Sierra Series Base Cabinets



Cabinets measure 16"W x 24"D x 26 1/2"H - 3/4" laminate case construction - Integrated metal drawer glides feature a 75 lb load rating - Chrome loop handles - Cylinder style locks keyed alike - 2" dual wheel swivel casters.

Model #	Description	Size
SR-1624.0000P	Single Door	16"W x 24"D x 26"H
SR-1624.0400P	Four Drawer	16"W x 24"D x 26"H
SR-1624.0030P	Three Drawer	16"W x 24"D x 26"H
SR-1624.0002P	Two Drawer	16"W x 24"D x 26"H
SR-1624.6000P	Six Drawer	16"W x 24"D x 26"H
SR-1624.0201P	(2)Box (1) File	16"W x 24"D x 26"H

SR-200 Mobile Instructor Station



Sierra SR-200 mobile instructor station measures 48"W x 30"D x 34"H
 - Solid 1-1/4" laminate surfaces with armour edging - 4" locking dual wheel casters - Pullout keyboard tray - CPU rack with back cable guard - 7"H rear back panel - Work surface height is 35-1/2"H.

Model#	Description
SR-200	Instructor Station
SR-MP	Optional Mouse Pad
SR-WR	Optional Wrist Wrist
SR-PS	110V Power Outlet Strip

SR-400 Mobile Instructor Station



Sierra SR-400 mobile instructor station measures 66"W x 30"D x 39"H
 - Solid 1-1/4" laminate surfaces with armour edging - 4" locking dual wheel casters - Pullout keyboard tray - 6"H upper surface back panel - 6"H lower surface back panel - Lockable/vented CPU cabinet - Large storage drawer/door - Raised lecture platform - Work surface height is 33-1/4"H.

Model#	Description
SR-400	Instructor Station
SR-MP	Optional Mouse Pad
SR-WR	Optional Wrist Wrist
SR-PS	110V Power Outlet Strip

100 Desk



Inline work surface with radius front and circular return - (2) cabinet base units - Lower rear modesty panel - Integrated wire management - CPU rack (fits standard tower)

Model #	Description	Size
SRE-100JD	Single Door/Four Drawer	34" x 70"
SRE-100JF	Single Door/Two File Drawer	34" x 70"
SRE-100JO	Single Door/(2)Box-(1)File	34" x 70"

220 Desk



L shaped work surface - (2) cabinet base units - (1) center pedestal - Lower rear modesty panels - Integrated wire management - CPU rack (fits standard tower)

Model #	Description	Size
SRE-210JD	Single Door/Four Drawer	70" x 70"
SRE-210JF	Single Door/Two File Drawer	70" x 70"
SRE-210JG	Single Door/(2)Box-(1)File	70" x 70"

210 Desk



SRE-200-JD Right Hand Shown

L shaped work surface with radius front and circular return - (2) cabinet base units - (1) center pedestal - Lower rear modesty panels - Integrated wire management - CPU rack (fits standard tower) - Available in left or right hand configuration

Model #	Left/Right	Description	Size
SRE-200JD	L or R	Single Door/Four Drawer	96" x 72"
SRE-200JF	L or R	Single Door/Two File Drawer	96" x 72"
SRE-200JO	L or R	Single Door/(2)Box-(1)File	96" x 72"

2004 Desk



Modular design allows the work station to be separated to create a meeting table - Table measures 66"w x 30"d - Portable table extension measures 29"w x 36"d - 7"h upper rear modesty panel - Cable ties below work surface - Base features all welded construction with 4" locking casters - Hanging base cabinets mount to main station work surface - 1-1/4" laminate tops with PVC edging.

Model #	Description	Cabinet Option
SRP-2004-A	Workstation/Meeting Table	Four Drawer
SRP-2004-B	Workstation/Meeting Table	1 File Drawer
SRP-2004-C	Workstation/Meeting Table	Single Door
SRP-2004-D	Workstation/Meeting Table	Three Drawer

SR - Conference Table



Our modern base design will bring form and function to your conference area - Solid 1-1/4" laminate tops with 3mm PVC edging - Dual 6" diameter steel supports with laminate floor base - Larger sizes feature top support brace.

Model #	Size	Top Support Brace
SRC-3672	36"d x 72"w	N
SRC-4284	42"d x 84"w	N
SRC-4896	48"d x 96"w	Y
SRC-48108	48"d x 108"w	Y
SRC-48120	48"d x 120"w	Y

SR - Round Table



Round planning tables - Sturdy base design - Solid 1-1/4" laminate tops with 3mm PVC edging - 2" diameter steel supports with floor leveler feet.

Model #	Size
SRD-42	42" Diameter x 28"h
SRD-48	48" Diameter x 28"h
SRD-60	60" Diameter x 28"h

SR - Portable Square Tables



Portable square tables feature a sturdy base design - Solid 1-1/4" laminate tops with 3mm PVC edging - 2" diameter steel supports locking swivel casters.

Model #	Size
SR-36SSP	36" Square x 28"h
SR-42SSP	42" Square x 28"h
SR-48SSP	48" Square x 28"h

SR - Portable Wall Tables



Portable tables feature a flat on the counter top allowing placement along a wall - Sturdy base design - Solid 1-1/4" laminate tops with 3mm PVC edging - 2" diameter steel supports locking swivel casters.

Model #	Size
SR-36RFP	36" Diameter x 28"h
SR-42RFP	42" Diameter x 28"h
SR-48RFP	48" Diameter x 28"h

See pages 32 - 35 for descriptions and additional accessories.

SRT - Corner



Corner Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size
SRTC-36	36" x 36" x 28"h Fits 24" deep
SRTC-42	42" x 42" x 28"h Fits 30" deep
SRTC-48	48" x 48" x 28"h Fits 36" deep

SRT - Inline



Inline Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size	Model #	Size
SRTI - 2448	24"d x 48"w	SRTI - 3060	30"d x 60"w
SRTI - 2460	24"d x 60"w	SRTI - 3072	30"d x 72"w
SRTI - 2472	24"d x 72"w	SRTI - 3660	36"d x 60"w
SRTI - 3048	30"d x 48"w	SRTI - 3672	36"d x 72"w

SRT - Inline Wave



Wave Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size	Model #	Size
SRTW - 2448	24"d x 48"w	SRTW - 3060	30"d x 60"w
SRTW - 2460	24"d x 60"w	SRTW - 3072	30"d x 72"w
SRTW - 2472	24"d x 72"w	SRTW - 3660	36"d x 60"w
SRTW - 3048	30"d x 48"w	SRTW - 3672	36"d x 72"w

SRT - Trapezoid



Trapezoid Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size
SRTT - 2448	24"d x 48"w
SRTT - 2460	24"d x 60"w
SRTT - 3060	30"d x 60"w
SRTT - 3672	36"d x 72"w

SRT - Half Round



Half Round Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size
SRTH - 2448	24"d x 48"w
SRTH - 3060	30"d x 60"w
SRTH - 3672	36"d x 72"w

SRT - Quarter Round



Quarter Round Table - Sturdy round tubular base design - Folding legs - Solid 1-1/4" laminate tops with 3mm PVC edging - Table connection plate - floor leveler feet.

Model #	Size
SRTQ - 24	24"d
SRTQ - 30	30"d
SRTQ - 36	36"d

SR - Media Cart



Media Cart - Solid 1-1/4" laminate top and shelves with 3mm PVC edging - Shelves are fixed position - 4" dual wheeled locking casters.

Model #	Size
SRMC - 10	28"w x 20"d x 54"h

SR - Lecturn



Lecturn - Solid 1-1/4" laminate top with 3mm PVC edging - Lower storage compartment - 4" dual wheeled locking casters.

Model #	Size
SRLT - 15	28"w x 20"d x 40"h

SR - Portable Cart



Storage Cart - Solid 1-1/4" laminate top with 3mm PVC edging - Lower storage cabinet with locking doors - 4" dual wheeled locking casters.

Model #	Size
SRMC - 25	36"w x 24"d x 36"h

SR - Projector Cart



Projector Cart - Solid 1-1/4" laminate top with 3mm PVC edging - Lower storage cabinet with locking doors - One interior adjustable shelf - Top cut out measures 18"w x 18"d - 4" dual wheeled locking casters.

Model #	Size
SRPC - 20	36"w x 24"d x 36"h

Work Station Accessories



Keyboard Tray:
All metal keyboard tray adjusts 5 ways to accommodate all users - Available with wrist rest and mouse platform. Black finish.

Model # DTKBT-100
Option Code: E



Wrist Rest Attachment:
Padded wrist rest attaches to the keyboard tray.

Model # DTWR-100
Option Code: F



Mouse Platform Attachment:
Sturdy mouse platform attaches to slide out keyboard tray - Left or right hand mount - Swivels away for storage.

Model # DTMPR-100
Option Code: G



Monitor Support Arm:
Supports monitors up to 80 lbs. - Clamp mount to work surface

Model # DTCRT-800
Option Code: C



Flat Panel Support Arm:
Support can be supplied with clamp mount - Swivel base with height adjustable arm - Articulating panel mount - Panel mounting plate included.

Model # DTFPMA-100
Option Code: C1



Premium Flat Panel Support Arm:
Support can be supplied with either clamp or bolt mount - Swivel base with height adjustable arm - Articulating panel mount - Panel mounting plate included.

Model # DTFPMA-300
Option Code: C2



Borco Board Cover:
5-ply reversible vinyl - compass points do not leave permanent holes - One side green other side cream color - * **Sized to workstation drafting board.**

Model # AL-VB
Option Code: H



Parallel Rules:
Made of sturdy black phenolic-laminate - Clear edges are raised above the bottom of the blade - Floating construction of blade keeps straightedge true - Mounting hardware and instructions included. * **Sized to Workstation Drafting Board**

Model # AL-PR
Option Code: I



Keyboard Drawer:
Slide out drawer features a padded wrist rest - Variable height mounting brackets - Rear storage compartments - Ball bearing glides - Color: Black

Model # KBD-120
Option Code:

Work Station Accessories



Slide Out CPU Rack:
10"w x 21"d x 19"h - Mounts to underside of worksurface- Adjustable height (15.5" - 19.5") and width (6" - 11.5") - Black finish

Model # DTCPU-400
Option Code: K



CPU Rack:
10"w x 21"d x 19"h - Mounts to inside leg - Fits most CPU cases - Black finish

Model # DTCPU - 200
Option Code: B



CPU Caddy - Adjustable width from 5 1/8" to 10" - Foam pads protect CPU case.

Model # 5001



Caster Kits For AC / PC Stations:
4" dual wheeled locking casters - Must be ordered with stations - **No retro fits** - Limitations apply to style of stations that accept caster kits. Contact factory for caster kit information.



Power Outlet Strips - (6) outlets - 15 amp - circuit breaker - 10' cord

#461 Putty
#4619 Black
#462 Putty w/Phone Jack



Pencil Drawer - Measures 22 3/4"w x 18"d - ball bearing glides - Mounts under work surface.

Model # 8971



Vented CPU Cabinet:
11"w x 21.5"d x 21"h - Lockable door - Wire access to management tray - Mounts to inside leg.

Model # CPU-500
Option Code: A



CPU Cabinet with Front Access Door:
11"w x 21.5"d x 21"h - Lockable door with drive access cut out - Wire access to management tray - Mounts to inside leg.

Model # CPU-500-C
Option Code: A1



PC-200 Riser Shelf:
14"d x 6"h - Laminate monitor riser shelf - 1 1/4" laminate top - Steel upright supports - Mounts to reference area

Model # PC-200-RS24 - 24"w
PC-200-RS30 - 30"w
Option Code: D

Work Station Accessories

Wire Management Spine Kit

Kit Includes:



Table Mount
x1



Spine Wheel
x15




Horizontal Mount
x2



Weighted Base
x1

Model # 8106

Under Shelf Lighting



Premium Task Light - 3500k fluorescent lamp - 9' center exit cord - on/off switch - cord and plug - Black color

Model #	Size
9490	24"l
9590	36"l
9690	48"l

Economy Under Shelf Lighting



Economical Task Light - Single 40 watt fluorescent bulb - on/off switch - cord and plug White color

Model #	Size
8600	24"l
8700	36"l
8800	48"l

Heron Task Lighting



Optional Desk Base
Model # 4390 Base Only

18 watt fluorescent high output bulb - 39" horizontal reach - 24" vertical reach - Clamp mounting base

Model # 4090

Ibis Task Lighting



13 watt fluorescent high output bulb - 27" horizontal reach - 19" vertical reach - Detachable plug in ballast

Model # 2090

Work Station Accessories



Work Station Panel Storage System



Panel

#2024 - 7" x 24" x 3/4"
#2036 - 7" x 36" x 3/4"
#2048 - 7" x 48" x 3/4"



End Post

#2001
15"



Corner Post

#2002
15"



Phone Tray

#1005
2" x 9 1/2" x 8 1/2"



Organizer

#1004
2" x 10" x 9 1/2"



Paper Tray

#1003
2" x 9 1/2" x 14"



Hanging File Holder

#1002
2" x 1" x 8 1/2"



Legal Size Tray

#1007
2" x 10 1/2" x 15"



File Holder

#1008
2 1/2" x 12 1/2" x 7"




Binder Holder

#1009
9" x 10 1/2" x 5"



Pencil Holder

#1000
4" x 3 1/2" x 4"



CD Holder

#1001
4" x 7" x 5 1/2"



Shelf

#1024
2" x 24" x 7"

Standard Laminates

Solid Colors



Almond



Grey



Doeskin



Pepperdust




Smoke


Pattern Colors




Mineral Talc



Grey Glace



Cactus Star



Desert Dusk



Indigo Organix



Desert Cloud



Saguaro




Biege Granite

Woodgrains



Riviera Maple



Wild Cherry



Amberwood



Mahogany



Castle Oak

Standard Base Finishes



Burgundy



Platinum



Navy



Mushroom



Charcoal



Mink



Periwinkle



Graphite

Terms and Conditions

Greene Manufacturing, Inc. reserves the right to change without notice, specification, and size requirements to facilitate manufacturing processes.

Warranty

Greene Manufacturing, Inc. warrants to the original purchaser each unit manufactured by GMI against factory defect in materials and workmanship for three (3) years from date of purchase.

If your unit should fail to operate properly during the first year after purchase, notify GMI by phone, fax, or in writing within 30 days upon discovering the said defect. If your unit is found to have been damaged from shipping and handling, improper use or environmental conditions, it is not covered by the warranty and you will be advised in advance of repair costs.

Greene Manufacturing, Inc.'s liability coverage for defects in material and workmanship will be limited to repair or replacement by GMI. GMI shall in no event be liable for incidental, consequential, contingent or any other damages. This warranty does not obligate GMI to bear the cost of transportation charges in connection with the repair or replacement of defective parts.

Shipping Policy

As our terms are F.O.B. factory, Greene Manufacturing, Inc.'s responsibility to the merchandise ends when the transportation company issues its receipt to us. Freight claims must be made against the carrier by the consignee, *GMI does not file freight claims.*

All merchandise is packed in compliance with carrier requirements. Examine all shipments carefully BEFORE ACCEPTANCE. If there is any indication of damage or shortage, request the delivering carrier to make a notation to this effect on the freight bill before signing it. Should damage be discovered after delivery, retain all packaging materials and request immediate inspection by the delivering carrier. Valid claims for concealed damage must be reported within 10 DAYS FROM RECEIPT OF SHIPMENT. Once the delivering carrier has a clear receipt for a shipment, they are no longer responsible for any shortages or damages. Greene Manufacturing, Inc. cannot accept merchandise returned due to shipping damage.

Returns and Cancellations

All returns must be authorized by GMI prior to shipment and accompanied by a GMI issued returned goods authorization number. All authorized returns must be shipped freight PREPAID via UPS or motor carrier. GMI will accept no C.O.D. returns. Provide documents stating the contents, reason for return and return authorization number. All items to be returned must be packed in original packaging and in compliance with motor carrier specifications. There are no cancellations or returns on custom or special order items. All cancellations and returned items must be received within 30 days and are subject to a 25% restocking charge.

Date:___/___/___

Dealer Information:

Dealer Name:	_____
Salesman:	_____
Street:	_____
City, State, Zip:	_____
Phone:	_____
Fax:	_____
Email:	_____

Site Information:

Site Address:	_____
Contact:	_____
Street:	_____
City, State, Zip:	_____
Phone:	_____
Fax:	_____
Email:	_____

Please Provide a Room Layout Sketch For Proposed Area/s

Installation:

GMI Installation Yes ☐ No ☐
 Dealer Installation Yes ☐ No ☐
 Union Installation Yes ☐ No ☐

Freight:

Common Carrier Yes ☐ No ☐
 Common Carrier With Special Services Yes ☐ No ☐
 GMI Delivery Only Yes ☐ No ☐
 Dealer Arranged Freight Yes ☐ No ☐

Type Furniture/Equipment

CAD/Drafting ☐
 Computer ☐
 Work Bench ☐
 Industrial Furniture ☐
 Technology ☐

Delivery:

Ground Floor Yes ☐ No ☐
 Elevator Yes ☐ No ☐
 Loading Dock Yes ☐ No ☐
 Easy Room Access Yes ☐ No ☐
 Fork Lift/Equipment Yes ☐ No ☐
 Required

Product Requirements:

Storage (Detail Below) Yes ☐ No ☐
 Accessories (Detail Below) Yes ☐ No ☐

Color Selection

Metal Base Color: _____
 Laminate Color: _____

List Details Here

GMI Layout Service Required: Yes ☐ No ☐

Misc. Notes:

Notes



Greene Manufacturing, Inc.

3985 S. Fletcher Rd.

Chelsea, MI 48118